



VS manufaktur
licht + objekt

Collection 2022

Collection 2022

With immediate effect, only the models specified in this catalogue are available.
The technical data in this catalogue shall apply exclusively.

Alphabetical index

	Page		Page
ALEA	51	MYOS	18
ALIA	51	MYOS T	19
BEO	52	OKON	15
BLOC	57	OLA 25	64
CERVANTES	36	OLA 36	65
CINA W.	56	ONE 58	8
DROP	24 – 25	ONE 80	9
DUOS 36	66 – 67	ONOS 40	72 – 73
ELAS	45	ONOS 55	70 – 71
ELAS S	45	ORA 20	42
ERA 33	54	ORA 25	42
ERA 40	54	OVA	10 – 11
EREA 55	58	OY	80
EREA 80	59	OYO	81
ESA	44	P80-1	74 – 75
GEA	50	P80-3	74 – 75
GELA 40	62 – 63	PEN 100	76
GELA 55	62 – 63	PEN 121	77
GELA 80	62 – 63	PEN 142	78 – 79
GO 30	28	PIN	26 – 27
INAS	32	PIN T	47
INAS SD	33	PIN W dim	49
LESAN M	31	POSA 36	68 – 69
LESAN S	31	SELA 40	61
LIN	29	SELA 55	61
LONEA	16	SOLA 80	60
LONEA SD	17	STE	30
LOT	14	TAOS 40	20
MESA 18	12	TAOS 40 SD	21
MESA 24	13	TAOS 55	20

Collection

	Page
Chandeliers:	8 – 13
Floorlamps:	14 – 22
Arc floor lamps:	23
Floor reading lamps:	24 – 36
Table lamps:	37 – 48
Wall sconces:	49 – 57
Ceiling lamps:	58 – 65
Adjustable pendant lamps:	66 – 73
Pendant lamps:	74 – 79
Spots:	80 – 81

	Page
TAOS 55 SD	21
TAU	40 – 41
TES	46
TOA	37
TOLED	48
TOPAN	38 – 39
UNA	23
VAO	55
VAYO	22
WED	53
YON	34 – 35
YON G	34 – 35
YON T	43

Florian Schulz Collection

PRESERVING TRADITION.

Proudly continuing the classics of the Florian Schulz Collection.



He was devoted to providing mass customization for commercial construction projects such as the Stuttgart State Opera House and the iconic Breuninger fashion store.

Florian Schulz increasingly concentrated more on the design of interior lighting made from brass. Later these series of lights were produced by a select team of professional craftsmen in his factory in Ludwigsburg.

Over the years Florian Schulz continued to develop a diverse and timeless collection of lights that can be placed in all areas of residential interior.

The ability to work with brass and the aspiration to make timeless and functional lights were his motivating and inspiring factors to make the best possible lighting for residential spaces. Florian Schulz has claimed a unique collection of highest artistic craftsmanship with timeless design combined with modern technology.



CRAFTMANSHIP MEETS PERFECTION.

Jens Schump combines design, technology and quality at the highest level.




The company Florian Schulz GmbH has been managed by Jens Schump since 2019 and renamed to VS Manufaktur e.K. Jens Schump initially learned his craftsmanship as a metal former (focus on metal typography) from Florian Schulz and worked together with him for 14 years. During that time Jens Schump developed his in-depth knowledge of the inner workings of high quality lighting. Jens Schump (36) has advanced from an initial apprentice under the guidance of Florian Schulz, then as the operational director to now the proprietary owner of VS Manufaktur. As Managing Director, he has assumed responsibility of all personnel of Florian Schulz and has continued to expand the team of qualified employees.

Jens Schump's vision is to guarantee design, level of quality and durability. The lighting features have been updated specifically regarding quality and functionality and adapted to meet current technical standards, such as the ability to connect with KNX and Smart Home systems. Every light is unique and offers modern and qualitative technical functionality.

Production of all the lights occurs in southern Germany with experienced craftsmanship – made in Germany. Jens Schump personally also continues to design new lights, even as Managing Director. He retains the design concept of Florian Schulz and enhances new collections with his signature of precision and aesthetics implemented with sustainability.

Finishes



Ms
Solid brass polished, lacquered




Mt
Solid brass matt brushed, lacquered




Ni
Solid brass, nickel-plated



Nm
Solid brass nickel-plated, matt brushed



Cr
Solid brass, chrome-plated



Cu
Solid brass copper-plated, lacquered




Cm
Solid brass copper-plated, matt brushed, lacquered



Br
Solid brass bronzed, lacquered



Bd
Solid brass dark-bronzed, lacquered



On request
according to RAL card.

Additional non-standard finishes

In addition to the metal finishes in this catalogue special finishes are available for most models:

Mp Solid brass polished, unlacquered
Ni-lack Solid brass nickel-plated, lacquered

Delivery times and surcharges on request.

Note:

The special surfaces „Mp – Solid brass polished, unlacquered“ and „Ni-lack – Solid brass, nickel-plated, lacquered“ visually look the same, such as „Ms – Solid brass polished, lacquered“ and „Ni – Solid brass, nickel-plated“.



ONE 58

LED chandelier

Designed by: Florian Schulz + Jens Schump

Height: adjustable 0.5 to 2 m (16.69" to 78.74") (standard)*

Ø Ring: 58 cm (22.8")

Ø Canopy: 25 cm (9.8")

Bulb: LED (31,4 Watt) with glare protection incl. light upwards and downwards approx. 3.020 Lumen

Color temperature: warmwhite 2700 K

Color rendering: > 95 Ra

Dimmer: possible via house installation (standard)**

ONE 58 – Ms Solid brass polished, lacquered

ONE 58 – Mt Solid brass matt brushed, lacquered

ONE 58 – Ni Solid brass, nickel-plated

ONE 58 – Nm Solid brass nickel-plated, matt brushed

ONE 58 – Cr Solid brass, chrome-plated

ONE 58 – Cu Solid brass copper-plated, lacquered

ONE 58 – Cm Solid brass copper-plated, matt brushed, lacquered



ONE 58 – Br Solid brass bronzed, lacquered

ONE 58 – Bd Solid brass dark-bronzed, lacquered

* Other heights: available on request.

** DALI-Modul with Casambi Dimmer
Alternatively, we recommend (*non-binding*)
the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditì 027505
- Kopp 8033



ONE 80

LED chandelier

Designed by: Florian Schulz + Jens Schump

Height: adjustable 0.5 to 2 m (16.69" to 78.74") (standard)*

Ø Ring: 80 cm (31.5")

Ø Canopy: 25 cm (9.8")

Bulb: LED (43 Watt) with glare protection incl. light upwards and downwards approx. 4.200 Lumen

Color temperature: warmwhite 2700 K

Color rendering: > 95 Ra


Dimmer: possible via house installation (standard)**

- ONE 80 – Ms Solid brass polished, lacquered
- ONE 80 – Mt Solid brass matt brushed, lacquered
- ONE 80 – Ni Solid brass, nickel-plated
- ONE 80 – Nm Solid brass nickel-plated, matt brushed
- ONE 80 – Cr Solid brass, chrome-plated
- ONE 80 – Cu Solid brass copper-plated, lacquered
- ONE 80 – Cm Solid brass copper-plated, matt brushed, lacquered
- ONE 80 – Br Solid brass bronzed, lacquered
- ONE 80 – Bd Solid brass dark-bronzed, lacquered

* Other heights: available on request.

** DALI-Modul with Casambi Dimmer
 Alternatively, we recommend (*non-binding*)
 the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditì 027505
- Kopp 8033





OVA LED chandelier

Designed by: Florian Schulz + Jens Schump

Height: adjustable 1.5 to 2 m (59.06" to 78.74") (standard)*

Oval shade: 125 cm long, 47 wide, 4 cm high
(49.2" long, 18.5" wide, 1.6" high)

Canopy: 47 cm long, 14 cm wide, 5 cm high
(18.5" long, 5.5" wide, 2" high)

Illuminant: LED with glare protection incl.
light upwards and downwards
approx. 4800 Lumen**

Color temperature: warmwhite 2700 K***

Color rendering: > 95 Ra

Dimmer: possible via house installation (standard)****

OVA – Ms Solid brass polished, lacquered
 OVA – Mt Solid brass matt brushed, lacquered
 OVA – Ni Solid brass, nickel-plated
 OVA – Nm Solid brass nickel-plated, matt brushed
 OVA – Cr Solid brass, chrome-plated
 OVA – Cu Solid brass copper-plated, lacquered
 OVA – Cm Solid brass copper-plated, matt brushed, lacquered
 OVA – Br Solid brass bronzed, lacquered
 OVA – Bd Solid brass dark-bronzed, lacquered

* Other heights possible, each with a range of 50 cm (19.7").

** Higher lumens on request.



*** 3000K + 4000K on request.

**** DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditi 027505
- Kopp 8033







MESA 18

Chandelier

18 removable metal arms

Designed by: Florian Schulz

Total height: min. 85 cm (33.5") - max. 305 cm (120.1") *

Ø: 88 cm (34.6")

Lampholder: 18 x G4, max. 18 x 20 W / 12 V

Bulb: 18 x G4 incl., dimmable

Dimmer: brightness control is possible **

MESA 18 – Ms	Solid brass polished, lacquered
MESA 18 – Mt	Solid brass matt brushed, lacquered
MESA 18 – Ni	Solid brass, nickel-plated
MESA 18 – Nm	Solid brass nickel-plated, matt brushed
MESA 18 – Cr	Solid brass, chrome-plated
MESA 18 – Cu	Solid brass copper-plated, lacquered
MESA 18 – Cm	Solid brass copper-plated, matt brushed, lacquered
MESA 18 – Br	Solid brass bronzed, lacquered
MESA 18 – Bd	Solid brass dark-bronzed, lacquered

* telescopic adjustment:

Total height 85 – 125 cm (33.5" – 49.2") (standard)

Total height 115 – 185 cm (45.3" – 72.8")



Total height 175 – 305 cm (68.9" – 120.1")

Other options available on request.

Please indicate with order.

** These lamps are equipped with 2 electronic transformers of 210 VA capacity each.

LED version on request.



MESA 24

Chandelier

24 removable metal arms

Designed by: Florian Schulz

Total height: min. 95 (37.4") - max. 315 cm (53.1") *

Ø: 140 cm (55.1")

Lampholder: 24 x G4, max. 24 x 20 W / 12 V

Bulb: 24 x G4 incl., dimmable

Dimmer: brightness control is possible **

MESA 24 – Ms	Solid brass polished, lacquered
MESA 24 – Mt	Solid brass matt brushed, lacquered
MESA 24 – Ni	Solid brass, nickel-plated
MESA 24 – Nm	Solid brass nickel-plated, matt brushed
MESA 24 – Cr	Solid brass, chrome-plated
MESA 24 – Cu	Solid brass copper-plated, lacquered
MESA 24 – Cm	Solid brass copper-plated, matt brushed, lacquered
MESA 24 – Br	Solid brass bronzed, lacquered
MESA 24 – Bd	Solid brass dark-bronzed, lacquered

* telescopic adjustment:

Total height 95 – 135 cm (37.4" – 53.1") (standard)

Total height 125 – 195 cm (49.2" – 76.8")


Total height 185 – 315 cm (72.8" – 124")

Other options available on request.

Please indicate with order.

** These lamps are equipped with 3 electronic transformers of 210 VA capacity each.

LED version on request.





LOT


Floor lamp

Designed by: Florian Schulz

Height: 180 cm (70.9")
Shade: TEFLON white, Ø 7 cm (2.8")
Lampholder: GY6.35, max. 50 W / 12 V
Bulb: 1 x G6 incl., 50 W $\hat{=}$ 75 W, dimmable
Electric wire: 2,5 m (8.2 ft)
Dimmer: sensor (touch dimmer)*

LOT – Ms	Solid brass polished, lacquered
LOT – Mt	Solid brass matt brushed, lacquered
LOT – Ni	Solid brass, nickel-plated
LOT – Nm	Solid brass nickel-plated, matt brushed
LOT – Cr	Solid brass, chrome-plated
LOT – Cu	Solid brass copper-plated, lacquered
LOT – Cm	Solid brass copper-plated, matt brushed, lacquered
LOT – Br	Solid brass bronzed, lacquered
LOT – Bd	Solid brass dark-bronzed, lacquered

* Also available: dimmer on cord
Please indicate with order



OKON

Floor lamp

Discontinued Model

Designed by: Florian Schulz

Height: 183 cm (72")

Shade: metal Ø 40 cm (15.7") bottom glass diffuser


Lampholder: R7s, max. 500 W


Bulb: 1 x R7s incl., dimmable

Electric wire: 5 m (16.4 ft)

Dimmer: built in

OKON – Ms	Solid brass polished, lacquered
OKON – Mt	Solid brass matt brushed, lacquered
OKON – Ni	Solid brass, nickel-plated
OKON – Nm	Solid brass nickel-plated, matt brushed
OKON – Cr	Solid brass, chrome-plated
OKON – Cu	Solid brass copper-plated, lacquered
OKON – Cm	Solid brass copper-plated, matt brushed, lacquered
OKON – Br	Solid brass bronzed, lacquered
OKON – Bd	Solid brass dark-bronzed, lacquered





LONEA

Floor lamp

Designed by: Florian Schulz

Height: 180 cm (70.9")

Shade: glass white-opal, Ø 23 cm (9.1")

Lampholder: E27, max. 250 W

Bulb: 1 x OS E27 Parathom incl., 2452 Lumen,
21 W $\hat{=}$ 150 W, 2700° K, dimmable


Electric wire: 3 m (9.8 ft)

Dimmer: on cord

LONEA – Ms	Solid brass polished, lacquered
LONEA – Mt	Solid brass matt brushed, lacquered
LONEA – Ni	Solid brass, nickel-plated
LONEA – Nm	Solid brass nickel-plated, matt brushed
LONEA – Cr	Solid brass, chrome-plated
LONEA – Cu	Solid brass copper-plated, lacquered
LONEA – Cm	Solid brass copper-plated, matt brushed, lacquered
LONEA – Br	Solid brass bronzed, lacquered
LONEA – Bd	Solid brass dark-bronzed, lacquered



Ø 23 cm
(9.1")



LONEA SD

Floor lamp

Designed by: Florian Schulz

Height: 160 - 190 cm (63" - 74.8") adjustable

Shade: glass white-opal, Ø 23 cm (9.1")


Lampholder: E27, max. 250 W

Bulb: 1 x OS E27 Parathom incl., 2452 Lumen,
21 W \triangle 150 W, 2700° K, dimmable

Electric wire: 3 m (9.8 ft)

Dimmer: built in

LONEA SD – Ms	Solid brass polished, lacquered
LONEA SD – Mt	Solid brass matt brushed, lacquered
LONEA SD – Ni	Solid brass, nickel-plated
LONEA SD – Nm	Solid brass nickel-plated, matt brushed
LONEA SD – Cr	Solid brass, chrome-plated
LONEA SD – Cu	Solid brass copper-plated, lacquered
LONEA SD – Cm	Solid brass copper-plated, matt brushed, lacquered
LONEA SD – Br	Solid brass bronzed, lacquered
LONEA SD – Bd	Solid brass dark-bronzed, lacquered






MYOS

Floor lamp / Floor reading lamp

Designed by:	Florian Schulz
Height:	182 cm (71.7")
Width reading lamp:	approx. 50 cm (19.7")
Shade floor lamp:	glass white-opal, Ø 26 cm (10.2")
Shade reading lamp:	metal Ø 12 cm (4.7"), adjustable
Lampholder floor lamp:	E27, max. 250 W / 230 V
Bulb floor lamp:	1 x E27 LED á 1521 Lumen, 14,5 W incl. 2700° K, dimmable
Lampholder reading lamp:	GY6.35, max. 50 W / 12 V
Bulb reading lamp:	1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable
Electric wire:	4 m (13.1 ft)
Dimmer:	2 x built in

MYOS – Ms	Solid brass polished, lacquered
MYOS – Mt	Solid brass matt brushed, lacquered
MYOS – Ni	Solid brass, nickel-plated
MYOS – Nm	Solid brass nickel-plated, matt brushed
MYOS – Cr	Solid brass, chrome-plated
MYOS – Cu	Solid brass copper-plated, lacquered
MYOS – Cm	Solid brass copper-plated, matt brushed, lacquered
MYOS – Br	Solid brass bronzed, lacquered
MYOS – Bd	Solid brass dark-bronzed, lacquered
Optional: Glass tabletop	Ø 36 cm (14.2"), height 50 cm (19.7"), clear glass 10 mm (0.4")



MYOS T

Floor lamp / Floor reading lamp

Designed by:	Florian Schulz
Height:	182 cm (71.7")
Width reading lamp:	approx. 50 cm (19.7")
Shade reading lamp:	metal Ø 12 cm (4.7"), adjustable
Lampholder floor lamp:	E27, max. 250 W / 230 V
Bulb floor lamp:	1 x E27 LED á 1521 Lumen, 14,5 W incl. 2700° K, dimmable
Lampholder reading lamp:	GY6.35, max. 50 W / 12 V
Bulb reading lamp:	1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable
Electric wire:	4 m (13.1 ft)
Dimmer:	2 x built in

MYOS T 40

Shade floor lamp: glass white-opal, Ø 40 cm (15.7")

MYOS T 40 – Ms	Solid brass polished, lacquered
MYOS T 40 – Mt	Solid brass matt brushed, lacquered
MYOS T 40 – Ni	Solid brass, nickel-plated
MYOS T 40 – Nm	Solid brass nickel-plated, matt brushed
MYOS T 40 – Cr	Solid brass, chrome-plated
MYOS T 40 – Cu	Solid brass copper-plated, lacquered
MYOS T 40 – Cm	Solid brass copper-plated, matt brushed, lacquered
MYOS T 40 – Br	Solid brass bronzed, lacquered
MYOS T 40 – Bd	Solid brass dark-bronzed, lacquered


Optional: Glass tabletop
Ø 36 cm (14.2"), height 50 cm (19.7"), clear glass 10 mm (0.4")

MYOS T 55

Shade floor lamp: glass white-opal, Ø 55 cm (21.7")

MYOS T 55 – Ms	Solid brass polished, lacquered
MYOS T 55 – Mt	Solid brass matt brushed, lacquered
MYOS T 55 – Ni	Solid brass, nickel-plated
MYOS T 55 – Nm	Solid brass nickel-plated, matt brushed
MYOS T 55 – Cr	Solid brass, chrome-plated
MYOS T 55 – Cu	Solid brass copper-plated, lacquered
MYOS T 55 – Cm	Solid brass copper-plated, matt brushed, lacquered
MYOS T 55 – Br	Solid brass bronzed, lacquered
MYOS T 55 – Bd	Solid brass dark-bronzed, lacquered

Optional: Glass tabletop
Ø 36 cm (14.2"), height 50 cm (19.7"), clear glass 10 mm (0.4")





TAOS

Floor lamp

Designed by: Florian Schulz
 Height: 160 - 210 cm (63" - 82.7") adjustable
 Lampholder: E27, max. 150 W
 Bulb: 1 x E27 LED á 1521 Lumen, 14,5 W incl.
 2700° K, dimmable
 Electric wire: 3 m (9.8 ft)
 Dimmer: on cord

TAOS 55


Shade: glass white-opal Ø 55 cm (21.7")

TAOS 55 – Ms Solid brass polished, lacquered
 TAOS 55 – Mt Solid brass matt brushed, lacquered
 TAOS 55 – Ni Solid brass, nickel-plated
 TAOS 55 – Nm Solid brass nickel-plated, matt brushed
 TAOS 55 – Cr Solid brass, chrome-plated
 TAOS 55 – Cu Solid brass copper-plated, lacquered
 TAOS 55 – Cm Solid brass copper-plated, matt brushed, lacquered
 TAOS 55 – Br Solid brass bronzed, lacquered
 TAOS 55 – Bd Solid brass dark-bronzed, lacquered

TAOS 40

Shade: glass white-opal Ø 40 cm (15.7")

TAOS 40 – Ms Solid brass polished, lacquered
 TAOS 40 – Mt Solid brass matt brushed, lacquered
 TAOS 40 – Ni Solid brass, nickel-plated
 TAOS 40 – Nm Solid brass nickel-plated, matt brushed
 TAOS 40 – Cr Solid brass, chrome-plated
 TAOS 40 – Cu Solid brass copper-plated, lacquered
 TAOS 40 – Cm Solid brass copper-plated, matt brushed, lacquered
 TAOS 40 – Br Solid brass bronzed, lacquered
 TAOS 40 – Bd Solid brass dark-bronzed, lacquered



TAOS SD

Floor lamp

Designed by: Florian Schulz

Height: 160 - 190 cm (63" - 74.8") adjustable
Lampholder: E27 max. 150 W
Bulb: 1 x E27 LED á 1521 Lumen, 14,5 W incl.
2700° K, dimmable
Electric wire: 3 m (9.8 ft)
Dimmer: built in

TAOS 55 SD


Shade: glass white-opal Ø 55 cm (21.7")

TAOS 55 SD – Ms Solid brass polished, lacquered
TAOS 55 SD – Mt Solid brass matt brushed, lacquered
TAOS 55 SD – Ni Solid brass, nickel-plated
TAOS 55 SD – Nm Solid brass nickel-plated, matt brushed
TAOS 55 SD – Cr Solid brass, chrome-plated
TAOS 55 SD – Cu Solid brass copper-plated, lacquered
TAOS 55 SD – Cm Solid brass copper-plated, matt brushed, lacquered
TAOS 55 SD – Br Solid brass bronzed, lacquered
TAOS 55 SD – Bd Solid brass dark-bronzed, lacquered

TAOS 40 SD

Shade: glass white-opal Ø 40 cm (15.7")

TAOS 40 SD – Ms Solid brass polished, lacquered
TAOS 40 SD – Mt Solid brass matt brushed, lacquered
TAOS 40 SD – Ni Solid brass, nickel-plated
TAOS 40 SD – Nm Solid brass nickel-plated, matt brushed
TAOS 40 SD – Cr Solid brass, chrome-plated
TAOS 40 SD – Cu Solid brass copper-plated, lacquered
TAOS 40 SD – Cm Solid brass copper-plated, matt brushed, lacquered
TAOS 40 SD – Br Solid brass bronzed, lacquered
TAOS 40 SD – Bd Solid brass dark-bronzed, lacquered






VAYO

Floor lamp / Reading lamp

Designed by:	Florian Schulz
Height:	180 cm (70.9")
Width reading lamp:	approx. 50 cm (19.7")
Shade floor lamp:	glass white-opal, Ø 23 cm (9.1")
Shade reading lamp:	TEFLON white Ø 7 cm (2.8")
Lampholder floor lamp:	E27, max. 150 W / 230 V
Bulb floor lamp:	1 x OS E27 Parathom incl., 2452 Lumen, 21 W \triangleq 150 W, 2700° K, dimmable
Lampholder reading lamp:	GY6.35, max. 50 W / 12 V
Bulb reading lamp:	1 x G6 incl., dimmable
Electric wire:	4 m (13.1 ft)
Dimmer:	2 x built in

- VAYO – Ms Solid brass polished, lacquered
- VAYO – Mt Solid brass matt brushed, lacquered
- VAYO – Ni Solid brass, nickel-plated
- VAYO – Nm Solid brass nickel-plated, matt brushed
- VAYO – Cr Solid brass, chrome-plated
- VAYO – Cu Solid brass copper-plated, lacquered
- VAYO – Cm Solid brass copper-plated, matt brushed, lacquered
- VAYO – Br Solid brass bronzed, lacquered
- VAYO – Bd Solid brass dark-bronzed, lacquered
- Optional: Glass tabletop
Ø 36 cm (14.2"), height 50 cm (19.7"), clear glass 10 mm (0.4")




UNA Discontinued Model


Arc floor lamp
mounting between floor and ceiling
variable up to 3.20 m (10,5 ft) room height
arc height adjustable

Designed by: Florian Schulz

Shade: metal, Ø 17 cm (6.7"), rotatable
Lampholder: B15d, max. 250 W
Bulb: 1 x B15d incl., dimmable
Electric wire: 5 m (16.4 ft)
Dimmer: built in

UNA – Ms Solid brass polished, lacquered
UNA – Mt Solid brass matt brushed, lacquered
UNA – Ni Solid brass, nickel-plated
UNA – Nm Solid brass nickel-plated, matt brushed
UNA – Cr Solid brass, chrome-plated
UNA – Cu Solid brass copper-plated, lacquered
UNA – Cm Solid brass copper-plated, matt brushed, lacquered
UNA – Br Solid brass bronzed, lacquered
UNA – Bd Solid brass dark-bronzed, lacquered





DROP

Floor reading lamp / Piano light

Designed by: Jens Schump

Height: adjustable from 80 – 135 cm (31.5" – 53.1")

Width: 70 cm (27.6")

Shade: Ø 3 cm (1.2"), approx. 34 cm (13.4") long, 180° rotatable

Bulb: LED-Line TW (approx. 18,6 W) incl., exchangeable
approx. 1800 Lumen, dimmable

Push button 1: tuning white infinitely variable from 2700° – 5700° K

Push button 2: on / off / dimming

Color rendering: > 95 Ra

Electric wire: 3 m (9.8 ft) textile cable black (standard)

Dimmer: built in

DROP – Ms Solid brass polished, lacquered

DROP – Mt Solid brass matt brushed, lacquered

DROP – Ni Solid brass, nickel-plated

DROP – Nm Solid brass nickel-plated, matt brushed

DROP – Cr Solid brass, chrome-plated

DROP – Cu Solid brass copper-plated, lacquered

DROP – Cm Solid brass copper-plated, matt brushed, lacquered

DROP – Br Solid brass bronzed, lacquered

DROP – Bd Solid brass dark-bronzed, lacquered





PIN Discontinued Model

Floor reading lamp

Designed by: Florian Schulz

Height: 100 - 135 cm (39.4" - 53.2") adjustable
 Width: approx. 52 cm (20.5")
 Bulb: 1 x LED 150 (approx. 6,4 Watt) incl.
 exchangeable
 approx. 650 Lumen

Color temperature: warmwhite 2700 K
 Color rendering: > 90 Ra
 Electric wire: 3 m (9.8 ft)

- PIN - Ms Solid brass polished, lacquered
- PIN - Mt Solid brass matt brushed, lacquered
- PIN - Ni Solid brass, nickel-plated
- PIN - Nm Solid brass nickel-plated, matt brushed
- PIN - Cr Solid brass, chrome-plated
- PIN - Cu Solid brass copper-plated, lacquered
- PIN - Cm Solid brass copper-plated, matt brushed, lacquered
- PIN - Br Solid brass bronzed, lacquered
- PIN - Bd Solid brass dark-bronzed, lacquered

PIN d

Floor reading lamp dimmable


Designed by: Florian Schulz

Height: 105 - 140 cm (41.3" - 55.1") adjustable
 Width: approx. 52 cm (20.5")
 Bulb: 1 x LED 150 (approx. 8,4 Watt) incl.
 exchangeable
 approx. 840 Lumen

Color temperature: warmwhite 2700 K
 Color rendering: > 90 Ra
 Electric wire: 3 m (9.8 ft)
 Dimmer: built in

- PIN d - Ms Solid brass polished, lacquered
- PIN d - Mt Solid brass matt brushed, lacquered
- PIN d - Ni Solid brass, nickel-plated
- PIN d - Nm Solid brass nickel-plated, matt brushed
- PIN d - Cr Solid brass, chrome-plated
- PIN d - Cu Solid brass copper-plated, lacquered
- PIN d - Cm Solid brass copper-plated, matt brushed, lacquered
- PIN d - Br Solid brass bronzed, lacquered
- PIN d - Bd Solid brass dark-bronzed, lacquered







GO 30

Floor reading lamp

Designed by: Florian Schulz + Jens Schump

Height: 100 - 170 cm (39.37" - 66.9") adjustable

Shade: TEFLON white, Ø 10 cm (3.9")

Lampholder: GY6.35, max. 50 W


Bulb: 1 x G6 incl., dimmable

Electric wire: 2,5 m (8.2 ft)

Dimmer: sensor (touch dimmer)*

GO 30 – Ms	Solid brass polished, lacquered
GO 30 – Mt	Solid brass matt brushed, lacquered
GO 30 – Ni	Solid brass, nickel-plated
GO 30 – Nm	Solid brass nickel-plated, matt brushed
GO 30 – Cr	Solid brass, chrome-plated
GO 30 – Cu	Solid brass copper-plated, lacquered
GO 30 – Cm	Solid brass copper-plated, matt brushed, lacquered
GO 30 – Br	Solid brass bronzed, lacquered
GO 30 – Bd	Solid brass dark-bronzed, lacquered

* Also available: dimmer on cord
Please indicate with order.



LIN


Floor reading lamp flexible and specially reinforced metal arm

Designed by: Florian Schulz

Height: approx. 140 cm (55.1")
Shade: TEFLON white, Ø 7 cm (2.8")
Lampholder: GY6.35, max. 50 W / 12 V
Bulb: 1 x G6 incl., 50 W $\hat{=}$ 75 W, dimmable
Electric wire: 2,5 m (8.2 ft)
Dimmer: sensor (touch dimmer)*

LIN – Ms Solid brass polished, lacquered
LIN – Mt Solid brass matt brushed, lacquered
LIN – Ni Solid brass, nickel-plated
LIN – Nm Solid brass nickel-plated, matt brushed
LIN – Cr Solid brass, chrome-plated
LIN – Cu Solid brass copper-plated, lacquered
LIN – Cm Solid brass copper-plated, matt brushed, lacquered
LIN – Br Solid brass bronzed, lacquered
LIN – Bd Solid brass dark-bronzed, lacquered

* Also available: dimmer on cord
Please indicate with order.





STE


Floor reading lamp

Designed by: Florian Schulz

Height: adjustable
 Shade: silk*
 Lampholder: E27, max. 150 W
 Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
 2700° K, 11 W $\hat{=}$ 75 W, dimmable
 Electric wire: 3 m (9.8 ft) textile cable black (standard)
 Dimmer: on cord

STE – Ms Solid brass polished, lacquered
 STE – Mt Solid brass matt brushed, lacquered
 STE – Ni Solid brass, nickel-plated
 STE – Nm Solid brass nickel-plated, matt brushed
 STE – Cr Solid brass, chrome-plated
 STE – Cu Solid brass copper-plated, lacquered
 STE – Cm Solid brass copper-plated, matt brushed, lacquered
 STE – Br Solid brass bronzed, lacquered
 STE – Bd Solid brass dark-bronzed, lacquered

* Fabric required: 120 x 60 cm (47.2" x 23.6")





LESAN M

Floor reading lamp

Designed by: Florian Schulz

Height: 90 - 135 cm (35.4" - 53.1") adjustable
 Shade: metal Ø 28 cm (11")
 Lampholder: E27, max. 100 W
 Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
 2700° K, 10,5 W $\hat{=}$ 75 W, dimmable

Electric wire: 3 m (9.8 ft)
 Dimmer: on cord

LESAN M – Ms Solid brass polished, lacquered
 LESAN M – Mt Solid brass matt brushed, lacquered
 LESAN M – Ni Solid brass, nickel-plated
 LESAN M – Nm Solid brass nickel-plated, matt brushed
 LESAN M – Cr Solid brass, chrome-plated
 LESAN M – Cu Solid brass copper-plated, lacquered
 LESAN M – Cm Solid brass copper-plated, matt brushed, lacquered
 LESAN M – Br Solid brass bronzed, lacquered
 LESAN M – Bd Solid brass dark-bronzed, lacquered

LESAN S

Floor reading lamp


Designed by: Florian Schulz

Height: 90 - 135 cm (35.4" - 53.1") adjustable
 Shade: silk* Ø 28 cm (11")
 Lampholder: E27, max. 70 W
 Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
 2700° K, 10,5 W $\hat{=}$ 75 W, dimmable

Electric wire: 3 m (9.8 ft)
 Dimmer: on cord

LESAN S – Ms Solid brass polished, lacquered
 LESAN S – Mt Solid brass matt brushed, lacquered
 LESAN S – Ni Solid brass, nickel-plated
 LESAN S – Nm Solid brass nickel-plated, matt brushed
 LESAN S – Cr Solid brass, chrome-plated
 LESAN S – Cu Solid brass copper-plated, lacquered
 LESAN S – Cm Solid brass copper-plated, matt brushed, lacquered
 LESAN S – Br Solid brass bronzed, lacquered
 LESAN S – Bd Solid brass dark-bronzed, lacquered

* Fabric required: 50 x 80 cm (19.7" x 31.5")





INAS

Floor reading lamp


Designed by: Florian Schulz

Height: 132 - 170 cm (52" - 66.9") adjustable
 Shade: silk, conical or straight*
 Lampholder: E27, max. 150 W
 Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
 2700° K, 10,5 W $\hat{=}$ 75 W, dimmable
 Electric wire: 4 m (13.1 ft)
 Dimmer: on cord

INAS – Ms	Solid brass polished, lacquered
INAS – Mt	Solid brass matt brushed, lacquered
INAS – Ni	Solid brass, nickel-plated
INAS – Nm	Solid brass nickel-plated, matt brushed
INAS – Cr	Solid brass, chrome-plated
INAS – Cu	Solid brass copper-plated, lacquered
INAS – Cm	Solid brass copper-plated, matt brushed, lacquered
INAS – Br	Solid brass bronzed, lacquered
INAS – Bd	Solid brass dark-bronzed, lacquered

* Please indicate with order.

Fabric required: 120 x 60 cm (47.3" x 23.6")



INAS SD

Floor reading lamp

Designed by: Florian Schulz

Height: 155 - 185 cm (61" - 72.8") adjustable

Shade: silk, conical or straight*

Lampholder: E27, max. 150 W

Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
2700° K, 10,5 W $\hat{=}$ 75 W, dimmable


Electric wire: 4 m (13.1 ft)

Dimmer: built in

INAS SD – Ms	Solid brass polished, lacquered
INAS SD – Mt	Solid brass matt brushed, lacquered
INAS SD – Ni	Solid brass, nickel-plated
INAS SD – Nm	Solid brass nickel-plated, matt brushed
INAS SD – Cr	Solid brass, chrome-plated
INAS SD – Cu	Solid brass copper-plated, lacquered
INAS SD – Cm	Solid brass copper-plated, matt brushed, lacquered
INAS SD – Br	Solid brass bronzed, lacquered
INAS SD – Bd	Solid brass dark-bronzed, lacquered

* Please indicate with order.

Fabric required: 120 x 60 cm (47.3" x 23.6")




YON

Floor reading lamp

Designed by: Florian Schulz

Height: adjustable
Shade: metal Ø 12 cm (4.7"), rotatable
Lampholder: GY6.35, max. 50 W / 12 V
Bulb: 1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable
Electric wire: 4 m (13.1 ft)
Dimmer: built in

YON – Ms	Solid brass polished, lacquered
YON – Mt	Solid brass matt brushed, lacquered
YON – Ni	Solid brass, nickel-plated
YON – Nm	Solid brass nickel-plated, matt brushed
YON – Cr	Solid brass, chrome-plated
YON – Cu	Solid brass copper-plated, lacquered
YON – Cm	Solid brass copper-plated, matt brushed, lacquered
YON – Br	Solid brass bronzed, lacquered
YON – Bd	Solid brass dark-bronzed, lacquered



YON G


Floor reading lamp

with glass tabletop Ø 30 cm (11.8"), clear glass

Designed by: Florian Schulz

Height: adjustable
Shade: metal Ø 12 cm (4.7"), rotatable
Lampholder: GY6.35, max. 50 W / 12 V
Bulb: 1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable
Electric wire: 4 m (13.1 ft)
Dimmer: built in

YON G – Ms	Solid brass polished, lacquered
YON G – Mt	Solid brass matt brushed, lacquered
YON G – Ni	Solid brass, nickel-plated
YON G – Nm	Solid brass nickel-plated, matt brushed
YON G – Cr	Solid brass, chrome-plated
YON G – Cu	Solid brass copper-plated, lacquered
YON G – Cm	Solid brass copper-plated, matt brushed, lacquered
YON G – Br	Solid brass bronzed, lacquered
YON G – Bd	Solid brass dark-bronzed, lacquered








CERVANTES

Floor reading lamp

Designed by: Florian Schulz

Height: 80 - 120 cm (31.5" - 47.2") adjustable
 Shade: metal, adjustable
 Lampholder: E27, max. 100 W
 Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
 2700° K, 10,5 W $\hat{=}$ 75 W, dimmable
 Electric wire: 4 m (13.1 ft)
 Dimmer: on cord

CERVANTES – Ms Solid brass polished, lacquered
 CERVANTES – Mt Solid brass matt brushed, lacquered
 CERVANTES – Ni Solid brass, nickel-plated
 CERVANTES – Nm Solid brass nickel-plated, matt brushed
 CERVANTES – Cr Solid brass, chrome-plated
 CERVANTES – Cu Solid brass copper-plated, lacquered
 CERVANTES – Cm Solid brass copper-plated, matt brushed, lacquered
 CERVANTES – Br Solid brass bronzed, lacquered
 CERVANTES – Bd Solid brass dark-bronzed, lacquered



TOA


Table lamp

flexible and specially reinforced metal arm

Designed by: Florian Schulz

Height: up to max. 50 cm (19.7")
Shade: TEFLON white, Ø 7 cm (2.8")
Lampholder: GY6.35, max. 50 W / 12 V
Bulb: 1 x G6 incl., dimmable
Electric wire: 2,5 m (8.2 ft)
Dimmer: built in

TOA – Ms	Solid brass polished, lacquered
TOA – Mt	Solid brass matt brushed, lacquered
TOA – Ni	Solid brass, nickel-plated
TOA – Nm	Solid brass nickel-plated, matt brushed
TOA – Cr	Solid brass, chrome-plated
TOA – Cu	Solid brass copper-plated, lacquered
TOA – Cm	Solid brass copper-plated, matt brushed, lacquered
TOA – Br	Solid brass bronzed, lacquered
TOA – Bd	Solid brass dark-bronzed, lacquered





TOPAN

Table lamp

Designed by: Jens Schump

Height: 51 cm (20.1")

Width: 55 cm (21.7")

Shade: Ø 3 cm (1.2"), approx. 23 cm (9.1") long, 180° rotatable

Bulb: LED-Line TW (approx. 12,5 W) incl., exchangeable
approx. 1330 Lumen
dimmable

Push button 1: tuning white infinitely variable from 2700° – 5700° K

Push button 2: on / off / dimming

Color rendering: > 95 Ra

Electric wire: 3 m (9.8 ft) textile cable black (standard)

Dimmer: built in

TOPAN – Ms Solid brass polished, lacquered

TOPAN – Mt Solid brass matt brushed, lacquered

TOPAN – Ni Solid brass, nickel-plated

TOPAN – Nm Solid brass nickel-plated, matt brushed


TOPAN – Cr Solid brass, chrome-plated

TOPAN – Cu Solid brass copper-plated, lacquered

TOPAN – Cm Solid brass copper-plated, matt brushed, lacquered

TOPAN – Br Solid brass bronzed, lacquered

TOPAN – Bd Solid brass dark-bronzed, lacquered





Walnut
mocha



Walnut
cognac

TAU


Table lamp

Designed by: Jens Schump

Height: approx. 50 cm
 Shade: glass white-opal, Ø 36 cm (14.2")
 Lampholder: 3 x E27, max. 100 Watt
 Bulb: 3 x E27 LED á 1055 Lumen, 10,5 W incl., dimmable
 Middle part: walnut mocha (standard)*
 Electric wire: 2,5 m (8.2 ft)
 Dimmer: built in

TAU – Ms Solid brass polished, lacquered
 TAU – Mt Solid brass matt brushed, lacquered
 TAU – Ni Solid brass, nickel-plated
 TAU – Nm Solid brass nickel-plated, matt brushed
 TAU – Cr Solid brass, chrome-plated
 TAU – Cu Solid brass copper-plated, lacquered
 TAU – Cm Solid brass copper-plated, matt brushed, lacquered
 TAU – Br Solid brass bronzed, lacquered
 TAU – Bd Solid brass dark-bronzed, lacquered

* Optional: walnut cognac
 Please indicate with order.







ORA

Table lamp

Designed by: Florian Schulz

Shade: silk*

Lampholder: E27, max. 100 W

Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.

2700° K, 11 W $\hat{=}$ 75 W, dimmable

Electric wire: 3 m (9.8 ft)

Dimmer: on cord

ORA 20

Metal ball Ø 20 cm (7.9")

Height: 59 cm (23.2")

ORA 20 – Ms Solid brass polished, lacquered

ORA 20 – Mt Solid brass matt brushed, lacquered

ORA 20 – Ni Solid brass, nickel-plated

ORA 20 – Nm Solid brass nickel-plated, matt brushed

ORA 20 – Cr Solid brass, chrome-plated

ORA 20 – Cu Solid brass copper-plated, lacquered

ORA 20 – Cm Solid brass copper-plated, matt brushed, lacquered

ORA 20 – Br Solid brass bronzed, lacquered

ORA 20 – Bd Solid brass dark-bronzed, lacquered

ORA 25

Metal ball Ø 25 cm (9.8")

Height: 71 cm (28")

ORA 25 – Ms Solid brass polished, lacquered

ORA 25 – Mt Solid brass matt brushed, lacquered

ORA 25 – Ni Solid brass, nickel-plated

ORA 25 – Nm Solid brass nickel-plated, matt brushed

ORA 25 – Cr Solid brass, chrome-plated

ORA 25 – Cu Solid brass copper-plated, lacquered



ORA 25 – Cm Solid brass copper-plated, matt brushed, lacquered

ORA 25 – Br Solid brass bronzed, lacquered

ORA 25 – Bd Solid brass dark-bronzed, lacquered

* Fabric required ORA 20: 120 x 60 cm (47.2" x 23.6")

Fabric required ORA 25: 140 x 70 cm (55.1" x 27.6")



YON T

Table lamp

Designed by: Florian Schulz

Shade: metal Ø 12 cm (4.7"), adjustable

Lampholder: GY6.35, max. 50 W / 12 V

Bulb: 1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable

Electric wire: 2,5 m (8.2 ft)

Dimmer: built in

YON T – Ms Solid brass polished, lacquered

YON T – Mt Solid brass matt brushed, lacquered

YON T – Ni Solid brass, nickel-plated

YON T – Nm Solid brass nickel-plated, matt brushed


YON T – Cr Solid brass, chrome-plated

YON T – Cu Solid brass copper-plated, lacquered

YON T – Cm Solid brass copper-plated, matt brushed, lacquered

YON T – Br Solid brass bronzed, lacquered

YON T – Bd Solid brass dark-bronzed, lacquered



ESA


Table lamp

flexible and specially reinforced metal arm

Designed by: Florian Schulz

Height: up to 50 cm (19.7")
Shade: TEFLON white, Ø 7 cm (2.8")
Lampholder: GY6.35, max. 50 W
Bulb: 1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable
Electric wire: 2,5 m (8.2 ft)
Dimmer: built in

ESA – Ms Solid brass polished, lacquered
ESA – Mt Solid brass matt brushed, lacquered
ESA – Ni Solid brass, nickel-plated
ESA – Nm Solid brass nickel-plated, matt brushed
ESA – Cr Solid brass, chrome-plated
ESA – Cu Solid brass copper-plated, lacquered
ESA – Cm Solid brass copper-plated, matt brushed, lacquered
ESA – Br Solid brass bronzed, lacquered
ESA – Bd Solid brass dark-bronzed, lacquered



ELAS

Table lamp

Designed by: Florian Schulz

Height: 50 - 70 cm (19.7" - 27.6") adjustable
Shade: metal Ø 28 cm (11")
Lampholder: E27, max. 100 W
Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
2700° K, 11 W \triangleq 75 W, dimmable
Electric wire: 2,5 m (8.2 ft)
Dimmer: on cord

ELAS – Ms Solid brass polished, lacquered
ELAS – Mt Solid brass matt brushed, lacquered
ELAS – Ni Solid brass, nickel-plated
ELAS – Nm Solid brass nickel-plated, matt brushed
ELAS – Cr Solid brass, chrome-plated
ELAS – Cu Solid brass copper-plated, lacquered
ELAS – Cm Solid brass copper-plated, matt brushed, lacquered
ELAS – Br Solid brass bronzed, lacquered
ELAS – Bd Solid brass dark-bronzed, lacquered

ELAS S


Table lamp

Designed by: Florian Schulz

Height: 50 - 70 cm (19.7" - 27.6") adjustable
Shade: silk* Ø 28 cm (11")
Lampholder: E27, max. 100 W
Bulb: 1 x E27 LED á 1055 Lumen, 10,5 W incl.
2700° K, 11 W \triangleq 75 W, dimmable
Electric wire: 2,5 m (8.2 ft)
Dimmer: on cord

ELAS S – Ms Solid brass polished, lacquered
ELAS S – Mt Solid brass matt brushed, lacquered
ELAS S – Ni Solid brass, nickel-plated
ELAS S – Nm Solid brass nickel-plated, matt brushed
ELAS S – Cr Solid brass, chrome-plated
ELAS S – Cu Solid brass copper-plated, lacquered
ELAS S – Cm Solid brass copper-plated, matt brushed, lacquered
ELAS S – Br Solid brass bronzed, lacquered
ELAS S – Bd Solid brass dark-bronzed, lacquered

* Fabric required: 50 x 80 cm (19.7" x 31.5")





TES


Table lamp

Designed by: Florian Schulz

Height: 40 - 60 cm (15.7" - 23.6") adjustable
Shade: TEFLON white, Ø 18 cm (7.1")
Lampholder: GY6.35, max. 50 W / 12 V
Bulb: 1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable
Electric wire: 2,5 m (8.2 ft)
Dimmer: sensor (touch dimmer)*

TES - Ms	Solid brass polished, lacquered
TES - Mt	Solid brass matt brushed, lacquered
TES - Ni	Solid brass, nickel-plated
TES - Nm	Solid brass nickel-plated, matt brushed
TES - Cr	Solid brass, chrome-plated
TES - Cu	Solid brass copper-plated, lacquered
TES - Cm	Solid brass copper-plated, matt brushed, lacquered
TES - Br	Solid brass bronzed, lacquered
TES - Bd	Solid brass dark-bronzed, lacquered

* Also available: dimmer on cord
Please indicate with order.



PIN T

Desk lamp


Discontinued Model

Designed by: Florian Schulz

Height: 45 cm (17.7")
Width: 70 cm (27.6")
Shade: rotatable
Bulb: 1 x LED 150 (approx. 6 Watt) incl.
exchangeable
approx. 600 Lumen

Color temperature: warmwhite 2700 K
Color rendering: > 90 Ra
Electric wire: 3 m (9.8 ft)

PIN T – Ms Solid brass polished, lacquered
PIN T – Mt Solid brass matt brushed, lacquered
PIN T – Ni Solid brass, nickel-plated
PIN T – Nm Solid brass nickel-plated, matt brushed
PIN T – Cr Solid brass, chrome-plated
PIN T – Cu Solid brass copper-plated, lacquered
PIN T – Cm Solid brass copper-plated, matt brushed, lacquered
PIN T – Br Solid brass bronzed, lacquered
PIN T – Bd Solid brass dark-bronzed, lacquered





TOLED


Desk lamp

Designed by: Florian Schulz

Height: 45 cm (17.7")
Width: 70 cm (27.6")
Shade: rotatable
Bulb: 1 x LED 150 (approx. 6 Watt) incl.
exchangeable
approx. 600 Lumen

Color temperature: warmwhite 2700 K
Color rendering: > 90 Ra
Electric wire: 2,5 m (8.2 ft)

TOLED – Ms Solid brass polished, lacquered
TOLED – Mt Solid brass matt brushed, lacquered
TOLED – Ni Solid brass, nickel-plated
TOLED – Nm Solid brass nickel-plated, matt brushed
TOLED – Cr Solid brass, chrome-plated
TOLED – Cu Solid brass copper-plated, lacquered
TOLED – Cm Solid brass copper-plated, matt brushed, lacquered
TOLED – Br Solid brass bronzed, lacquered
TOLED – Bd Solid brass dark-bronzed, lacquered



PIN W dim

Wall lamp

Designed by: Jens Schump

Height: 35 cm (13.8")

Width: 60 cm (23.6")


Bulb: 1 x LED-Line 150 (approx. 8,4 Watt) incl.
exchangeable
approx. 840 Lumen

Color temperature: warmwhite 2700 K

Color rendering: > 90 Ra

Dimmer: built in

- PIN W dim – Ms Solid brass polished, lacquered
- PIN W dim – Mt Solid brass matt brushed, lacquered
- PIN W dim – Ni Solid brass, nickel-plated
- PIN W dim – Nm Solid brass nickel-plated, matt brushed
- PIN W dim – Cr Solid brass, chrome-plated
- PIN W dim – Cu Solid brass copper-plated, lacquered
- PIN W dim – Cm Solid brass copper-plated, matt brushed, lacquered
- PIN W dim – Br Solid brass bronzed, lacquered
- PIN W dim – Bd Solid brass dark-bronzed, lacquered





GEA Wall lamp

Designed by: Florian Schulz

Height: 43 cm (16.9")

Shade: glass white-opal

Lampholder: 2 x E27, max. 2 x 100 W

Bulb: 2 x E27 LED á 1055 Lumen, 10,5 W incl., dimmable

Dimmer: on site

GEA – Ms Solid brass polished, lacquered

GEA – Mt Solid brass matt brushed, lacquered

GEA – Ni Solid brass, nickel-plated

GEA – Nm Solid brass nickel-plated, matt brushed

GEA – Cr Solid brass, chrome-plated


GEA – Cu Solid brass copper-plated, lacquered

GEA – Cm Solid brass copper-plated, matt brushed, lacquered

GEA – Br Solid brass bronzed, lacquered

GEA – Bd Solid brass dark-bronzed, lacquered

Optional: DALI-Modul LUN-DALI on request



ALIA


Wall lamp indirect light

Designed by: Florian Schulz

Height: 47 cm (18.5")
Shade: metal
Lampholder: 2 x E27, max. 2 x 100 W
Bulb: 2 x E27 LED á 1055 Lumen, 10,5 W incl., dimmable
Dimmer: on site

ALIA – Ms Solid brass polished, lacquered
ALIA – Mt Solid brass matt brushed, lacquered
ALIA – Ni Solid brass, nickel-plated
ALIA – Nm Solid brass nickel-plated, matt brushed
ALIA – Cr Solid brass, chrome-plated
ALIA – Cu Solid brass copper-plated, lacquered
ALIA – Cm Solid brass copper-plated, matt brushed, lacquered
ALIA – Br Solid brass bronzed, lacquered
ALIA – Bd Solid brass dark-bronzed, lacquered

Optional: DALI-Modul LUN-DALI on request



ALEA


Wall lamp indirect light

Designed by: Florian Schulz + Jens Schump

Height: 35 cm (13.8")
Shade: metal
Lampholder: 2 x E14, max. 60W
Bulb: 2 x E14 LED á 806 Lumen, 2700° K, 8 W incl., dimmable
Dimmer: on site

ALEA – Ms Solid brass polished, lacquered
ALEA – Mt Solid brass matt brushed, lacquered
ALEA – Ni Solid brass, nickel-plated
ALEA – Nm Solid brass nickel-plated, matt brushed
ALEA – Cr Solid brass, chrome-plated
ALEA – Cu Solid brass copper-plated, lacquered
ALEA – Cm Solid brass copper-plated, matt brushed, lacquered
ALEA – Br Solid brass bronzed, lacquered
ALEA – Bd Solid brass dark-bronzed, lacquered

Optional: DALI-Modul LUN-DALI on request





BEO

Wall and Stairway lamp
direct and indirect light
glass diffuser top and bottom

Designed by: Florian Schulz

Width: 36 cm (14.2")

Lampholder: 2 x E27, max. 2 x 100 W

Bulb: 2 x E27 LED á 1055 Lumen, 10,5 W incl., dimmable
 2700° K, 11 W $\hat{=}$ 75 W

Dimmer: possible via house installation (standard)*


BEO – Ms	Solid brass polished, lacquered
BEO – Mt	Solid brass matt brushed, lacquered
BEO – Ni	Solid brass, nickel-plated
BEO – Nm	Solid brass nickel-plated, matt brushed
BEO – Cr	Solid brass, chrome-plated
BEO – Cu	Solid brass copper-plated, lacquered
BEO – Cm	Solid brass copper-plated, matt brushed, lacquered
BEO – Br	Solid brass bronzed, lacquered
BEO – Bd	Solid brass dark-bronzed, lacquered

* DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)

the following dimmer brands:


- Jung 1731DD
- Feller 40300.RC
- Arditi 027505
- Kopp 8033



WED Wall lamp

Designed by: Florian Schulz
Width: 40 cm (15.7")
Lampholder: GU5.3
Bulb: 1 x GU5.3 incl.
approx. 660 Lumen
Color temperature: warmwhite 2700 K
Color rendering: > 90 Ra

WED – Ms Solid brass polished, lacquered
WED – Mt Solid brass matt brushed, lacquered
WED – Ni Solid brass, nickel-plated
WED – Nm Solid brass nickel-plated, matt brushed
WED – Cr Solid brass, chrome-plated
WED – Cu Solid brass copper-plated, lacquered
WED – Cm Solid brass copper-plated, matt brushed, lacquered
WED – Br Solid brass bronzed, lacquered
WED – Bd Solid brass dark-bronzed, lacquered



ERA 33

Wall lamp

Designed by: Florian Schulz

Width: 33 cm (13")
bottom glass diffuser

Lampholder: 2 x G9, max. 2 x 75 W / 230 V

Bulb: 2 x G9, 60 W incl.

- ERA 33 – Ms Solid brass polished, lacquered
- ERA 33 – Mt Solid brass matt brushed, lacquered
- ERA 33 – Ni Solid brass, nickel-plated
- ERA 33 – Nm Solid brass nickel-plated, matt brushed
- ERA 33 – Cr Solid brass, chrome-plated
- ERA 33 – Cu Solid brass copper-plated, lacquered
- ERA 33 – Cm Solid brass copper-plated, matt brushed, lacquered
- ERA 33 – Br Solid brass bronzed, lacquered
- ERA 33 – Bd Solid brass dark-bronzed, lacquered

Optional: Additional top glass diffuser

Please indicate with order.

ERA 40

Wall lamp

Designed by: Florian Schulz

Width: 40 cm (15.7")
bottom glass diffuser


Lampholder: E27, max. 100 W

Bulb: 1 x E27, 14,5 W incl.

- ERA 40 – Ms Solid brass polished, lacquered
- ERA 40 – Mt Solid brass matt brushed, lacquered
- ERA 40 – Ni Solid brass, nickel-plated
- ERA 40 – Nm Solid brass nickel-plated, matt brushed
- ERA 40 – Cr Solid brass, chrome-plated
- ERA 40 – Cu Solid brass copper-plated, lacquered
- ERA 40 – Cm Solid brass copper-plated, matt brushed, lacquered
- ERA 40 – Br Solid brass bronzed, lacquered
- ERA 40 – Bd Solid brass dark-bronzed, lacquered

Optional: Additional top glass diffuser

Please indicate with order.




VAO


Wall lamp,
flexible and specially reinforced metal arm

Designed by: Florian Schulz

Height: approx. 44 cm (17.3")
Shade: TEFLON white, Ø 7 cm (2.8")
Lampholder: GY6.35, max. 20 W / 12 V
Bulb: 1 x G6 incl., 35 W $\hat{=}$ 50 W, dimmable
Dimmer: built in

VAO – Ms	Solid brass polished, lacquered
VAO – Mt	Solid brass matt brushed, lacquered
VAO – Ni	Solid brass, nickel-plated
VAO – Nm	Solid brass nickel-plated, matt brushed
VAO – Cr	Solid brass, chrome-plated
VAO – Cu	Solid brass copper-plated, lacquered
VAO – Cm	Solid brass copper-plated, matt brushed, lacquered
VAO – Br	Solid brass bronzed, lacquered
VAO – Bd	Solid brass dark-bronzed, lacquered





CINA W Wall lamp

Discontinued Model



Designed by: Florian Schulz

Width: approx. 14 cm (5.5")

Lampholder: G9, max 75 W

Bulb: 1 x G9 incl.

- CINA W – Ms Solid brass polished, lacquered
- CINA W – Mt Solid brass matt brushed, lacquered
- CINA W – Ni Solid brass, nickel-plated
- CINA W – Nm Solid brass nickel-plated, matt brushed
- CINA W – Cr Solid brass, chrome-plated
- CINA W – Cu Solid brass copper-plated, lacquered
- CINA W – Cm Solid brass copper-plated, matt brushed, lacquered
- CINA W – Br Solid brass bronzed, lacquered
- CINA W – Bd Solid brass dark-bronzed, lacquered



14 cm (5.5")

BLOC Wall lamp

Discontinued Model

Designed by: Florian Schulz

Height: 5 cm (1.97")

Width: 32 cm (12.6")

Depth: 4 cm (1.6")

Bulb: 2 x LED 150 (approx. 12 Watt) incl.
exchangeable
approx. 1200 Lumen

Color temperature: warmwhite 2700 K

Color rendering: > 90 Ra

BLOC – Ms Solid brass polished, lacquered

BLOC – Mt Solid brass matt brushed, lacquered

BLOC – Ni Solid brass, nickel-plated

BLOC – Nm Solid brass nickel-plated, matt brushed



BLOC – Cr Solid brass, chrome-plated

BLOC – Cu Solid brass copper-plated, lacquered

BLOC – Cm Solid brass copper-plated, matt brushed, lacquered

BLOC – Br Solid brass bronzed, lacquered

BLOC – Bd Solid brass dark-bronzed, lacquered





EREA 55

Ceiling lamp

Designed by: Florian Schulz

Height: standard 60 cm (23.6")
or on request
(min. 40 cm (15.7") to max. 200 cm (78.7"))

Shade: glass white-opal Ø 55 cm (21.7")

Lampholder: 6 x E14, max. 6 x 60 W

Dimmer: possible via house installation (standard)*



EREA 55 – Ms	Solid brass polished, lacquered
EREA 55 – Mt	Solid brass matt brushed, lacquered
EREA 55 – Ni	Solid brass, nickel-plated
EREA 55 – Nm	Solid brass nickel-plated, matt brushed
EREA 55 – Cr	Solid brass, chrome-plated
EREA 55 – Cu	Solid brass copper-plated, lacquered
EREA 55 – Cm	Solid brass copper-plated, matt brushed, lacquered
EREA 55 – Br	Solid brass bronzed, lacquered
EREA 55 – Bd	Solid brass dark-bronzed, lacquered

* DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditì 027505
- Kopp 8033



EREA 80

Ceiling lamp

Designed by: Florian Schulz

Height: standard 100 cm (39.4")
or on request
(min. 60 cm (23.6") to max. 200 cm (78.7"))

Shade: glass white-opal Ø 80 cm (31.5")

Lampholder: 6 x E27, max. 6 x 205 W

Dimmer: possible via house installation (standard)*



EREA 80 – Ms	Solid brass polished, lacquered
EREA 80 – Mt	Solid brass matt brushed, lacquered
EREA 80 – Ni	Solid brass, nickel-plated
EREA 80 – Nm	Solid brass nickel-plated, matt brushed
EREA 80 – Cr	Solid brass, chrome-plated
EREA 80 – Cu	Solid brass copper-plated, lacquered
EREA 80 – Cm	Solid brass copper-plated, matt brushed, lacquered
EREA 80 – Br	Solid brass bronzed, lacquered
EREA 80 – Bd	Solid brass dark-bronzed, lacquered

* DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditi 027505
- Kopp 8033





SOLA 80

Ceiling lamp
direct and indirect light
bottom glass diffuser

Designed by: Florian Schulz

Height: 36 - 65 cm (14.2" - 25.6") adjustable

special length on request

Shade: metal Ø 80 cm (31.5")

Lampholder: R7s, max. 500 W

Bulb: 1 x R7s incl.

Dimmer: possible via house installation (standard)*

SOLA 80 – Ms Solid brass polished, lacquered

SOLA 80 – Mt Solid brass matt brushed, lacquered

SOLA 80 – Ni Solid brass, nickel-plated

SOLA 80 – Nm Solid brass nickel-plated, matt brushed

SOLA 80 – Cr Solid brass, chrome-plated

SOLA 80 – Cu Solid brass copper-plated, lacquered

SOLA 80 – Cm Solid brass copper-plated, matt brushed, lacquered

SOLA 80 – Br Solid brass bronzed, lacquered

SOLA 80 – Bd Solid brass dark-bronzed, lacquered

* DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)


the following dimmer brands:

– Jung 1731DD

– Feller 40300.FC

– Arditi 027505

– Kopp 8033





SELA 55

Ceiling lamp, indirect lighting

Designed by: Florian Schulz

Shade: metal Ø 55 cm (21.7")
Lampholder: 5 x E27, max. 5 x 100 W
Dimmer: possible via house installation (standard)*

SELA 55 – Ms Solid brass polished, lacquered
SELA 55 – Mt Solid brass matt brushed, lacquered
SELA 55 – Ni Solid brass, nickel-plated
SELA 55 – Nm Solid brass nickel-plated, matt brushed
SELA 55 – Cr Solid brass, chrome-plated
SELA 55 – Cu Solid brass copper-plated, lacquered
SELA 55 – Cm Solid brass copper-plated, matt brushed, lacquered
SELA 55 – Br Solid brass bronzed, lacquered
SELA 55 – Bd Solid brass dark-bronzed, lacquered
By request: 5 x E27 LED-bulb (75 W)
Please indicate with order.




SELA 40

Ceiling lamp, indirect lighting

Designed by: Florian Schulz

Shade: metal Ø 40 cm (15.7")
Lampholder: 5 x E14, max. 5 x 60 W
Dimmer: possible via house installation (standard)*

SELA 40 – Ms Solid brass polished, lacquered
SELA 40 – Mt Solid brass matt brushed, lacquered
SELA 40 – Ni Solid brass, nickel-plated
SELA 40 – Nm Solid brass nickel-plated, matt brushed
SELA 40 – Cr Solid brass, chrome-plated
SELA 40 – Cu Solid brass copper-plated, lacquered
SELA 40 – Cm Solid brass copper-plated, matt brushed, lacquered
SELA 40 – Br Solid brass bronzed, lacquered
SELA 40 – Bd Solid brass dark-bronzed, lacquered
By request: 5 x E14 LED-bulb (60 W)
Please indicate with order.



Special length (distance to wall / ceiling) on request.

* DALI-Modul with Casambi Dimmer
Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditi 027505
- Kopp 8033



GELA 40

Wall-/ Ceiling lamp


Designed by: Florian Schulz

Shade: glass white-opal Ø 40 cm (15.7")
 Lampholder: 5 x E14, max. 5 x 60 W
 Dimmer: possible via house installation (standard)*

GELA 40 – Ms Solid brass polished, lacquered
 GELA 40 – Mt Solid brass matt brushed, lacquered
 GELA 40 – Ni Solid brass, nickel-plated
 GELA 40 – Nm Solid brass nickel-plated, matt brushed
 GELA 40 – Cr Solid brass, chrome-plated
 GELA 40 – Cu Solid brass copper-plated, lacquered
 GELA 40 – Cm Solid brass copper-plated, matt brushed, lacquered
 GELA 40 – Br Solid brass bronzed, lacquered
 GELA 40 – Bd Solid brass dark-bronzed, lacquered

By request: 5 x E14 LED-bulb (60 W)

Please indicate with order.



Special length (distance to wall / ceiling) on request.

GELA 55

Ceiling lamp

Designed by: Florian Schulz

Shade: glass white-opal Ø 55 cm (21.7")
 Lampholder: 5 x E27, max. 5 x 100 W
 Dimmer: possible via house installation (standard)*

GELA 55 – Ms Solid brass polished, lacquered
 GELA 55 – Mt Solid brass matt brushed, lacquered
 GELA 55 – Ni Solid brass, nickel-plated
 GELA 55 – Nm Solid brass nickel-plated, matt brushed
 GELA 55 – Cr Solid brass, chrome-plated
 GELA 55 – Cu Solid brass copper-plated, lacquered
 GELA 55 – Cm Solid brass copper-plated, matt brushed, lacquered
 GELA 55 – Br Solid brass bronzed, lacquered
 GELA 55 – Bd Solid brass dark-bronzed, lacquered

By request: 5 x E27 LED-bulb (75 W)

Please indicate with order.

Special length (distance to wall / ceiling) on request.

GELA 80

Ceiling lamp


Designed by: Florian Schulz

Shade: glass white-opal Ø 80 cm (31.5")
 Lampholder: 7 x E27, max. 7 x 100 W
 Dimmer: possible via house installation (standard)*

GELA 80 – Ms Solid brass polished, lacquered
 GELA 80 – Mt Solid brass matt brushed, lacquered
 GELA 80 – Ni Solid brass, nickel-plated
 GELA 80 – Nm Solid brass nickel-plated, matt brushed
 GELA 80 – Cr Solid brass, chrome-plated
 GELA 80 – Cu Solid brass copper-plated, lacquered
 GELA 80 – Cm Solid brass copper-plated, matt brushed, lacquered
 GELA 80 – Br Solid brass bronzed, lacquered
 GELA 80 – Bd Solid brass dark-bronzed, lacquered

By request: 7 x E27 LED-bulb (75 W)

Please indicate with order.



Special length (distance to wall / ceiling) on request.

* DALI-Modul with Casambi Dimmer
 Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditi 027505
- Kopp 8033





OLA 25

Ceiling lamp

Designed by: Florian Schulz

Height: 14 cm (5.5")

Shade: glass white-opal, Ø 25 cm (9.8")


Lampholder: 2 x E27, max. 2 x 100 W

Bulb: 2 x E27 LED á 1055 Lumen, 10,5 W incl., dimmable
2700° K, 10,5 W $\hat{=}$ 75 W

Dimmer: possible via house installation*

- OLA 25 – Ms Solid brass polished, lacquered
- OLA 25 – Mt Solid brass matt brushed, lacquered
- OLA 25 – Ni Solid brass, nickel-plated
- OLA 25 – Nm Solid brass nickel-plated, matt brushed
- OLA 25 – Cr Solid brass, chrome-plated
- OLA 25 – Cu Solid brass copper-plated, lacquered
- OLA 25 – Cm Solid brass copper-plated, matt brushed, lacquered
- OLA 25 – Br Solid brass bronzed, lacquered
- OLA 25 – Bd Solid brass dark-bronzed, lacquered

*DALI-Modul LUN-DALI



OLA 36

Ceiling lamp



Designed by: Florian Schulz

Height: 20 cm (7.9")
Shade: glass white-opal, Ø 36 cm (14.2")
Lampholder: 3 x E27, max. 3 x 100 W
Bulb: 3 x E27 LED á 1055 Lumen, 10,5 W incl., dimmable
2700° K, 10,5 W \triangleq 75 W
Dimmer: possible via house installation*

OLA 36 – Ms Solid brass polished, lacquered
OLA 36 – Mt Solid brass matt brushed, lacquered
OLA 36 – Ni Solid brass, nickel-plated
OLA 36 – Nm Solid brass nickel-plated, matt brushed
OLA 36 – Cr Solid brass, chrome-plated
OLA 36 – Cu Solid brass copper-plated, lacquered
OLA 36 – Cm Solid brass copper-plated, matt brushed, lacquered
OLA 36 – Br Solid brass bronzed, lacquered
OLA 36 – Bd Solid brass dark-bronzed, lacquered

* DALI-Modul with Casambi Dimmer
Alternatively, we recommend (*non-binding*)
the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditi 027505
- Kopp 8033





DUOS 36 P – Pendant

Pendant lamp

Canopy: Ø 12 cm (4.7")
 Shade: metal Ø 36 cm (14.2")
 Lampholder: E27, max. 100 W

DUOS 36 P – Ms Solid brass polished, lacquered
 DUOS 36 P – Mt Solid brass matt brushed, lacquered
 DUOS 36 P – Ni Solid brass, nickel-plated
 DUOS 36 P – Nm Solid brass nickel-plated, matt brushed
 DUOS 36 P – Cr Solid brass, chrome-plated
 DUOS 36 P – Cu Solid brass copper-plated, lacquered
 DUOS 36 P – Cm Solid brass copper-plated, matt brushed, lacquered
 DUOS 36 P – Br Solid brass bronzed, lacquered
 DUOS 36 P – Bd Solid brass dark-bronzed, lacquered



DUOS 36 M – Center pull

Adjustable pendant lamp

Canopy: Ø 9 cm (3.5")
 Shade: metal Ø 36 cm (14.2")
 Lampholder: E27, max. 100 W

DUOS 36 M – Ms Solid brass polished, lacquered
 DUOS 36 M – Mt Solid brass matt brushed, lacquered
 DUOS 36 M – Ni Solid brass, nickel-plated
 DUOS 36 M – Nm Solid brass nickel-plated, matt brushed
 DUOS 36 M – Cr Solid brass, chrome-plated
 DUOS 36 M – Cu Solid brass copper-plated, lacquered
 DUOS 36 M – Cm Solid brass copper-plated, matt brushed, lacquered
 DUOS 36 M – Br Solid brass bronzed, lacquered
 DUOS 36 M – Bd Solid brass dark-bronzed, lacquered



DUOS 36 S – Side pull

Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")
 Shade: metal Ø 36 cm (14.2")
 Lampholder: E27, max. 100 W

DUOS 36 S – Ms Solid brass polished, lacquered
 DUOS 36 S – Mt Solid brass matt brushed, lacquered
 DUOS 36 S – Ni Solid brass, nickel-plated
 DUOS 36 S – Nm Solid brass nickel-plated, matt brushed
 DUOS 36 S – Cr Solid brass, chrome-plated
 DUOS 36 S – Cu Solid brass copper-plated, lacquered
 DUOS 36 S – Cm Solid brass copper-plated, matt brushed, lacquered
 DUOS 36 S – Br Solid brass bronzed, lacquered
 DUOS 36 S – Bd Solid brass dark-bronzed, lacquered



DUOS 36 R – Straight pull ceiling mounted

Adjustable pendant lamp

Shade: metal Ø 36 cm (14.2")

Lampholder: E27, max. 100 W

DUOS 36 R – Ms	Solid brass polished, lacquered
DUOS 36 R – Mt	Solid brass matt brushed, lacquered
DUOS 36 R – Ni	Solid brass, nickel-plated
DUOS 36 R – Nm	Solid brass nickel-plated, matt brushed
DUOS 36 R – Cr	Solid brass, chrome-plated
DUOS 36 R – Cu	Solid brass copper-plated, lacquered
DUOS 36 R – Cm	Solid brass copper-plated, matt brushed, lacquered
DUOS 36 R – Br	Solid brass bronzed, lacquered
DUOS 36 R – Bd	Solid brass dark-bronzed, lacquered



DUOS 36 D – Double pull


Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")

Shade: metal Ø 36 cm (14.2")

Lampholder: 2 x E27, max. 2 x 100 W

DUOS 36 D – Ms	Solid brass polished, lacquered
DUOS 36 D – Mt	Solid brass matt brushed, lacquered
DUOS 36 D – Ni	Solid brass, nickel-plated
DUOS 36 D – Nm	Solid brass nickel-plated, matt brushed
DUOS 36 D – Cr	Solid brass, chrome-plated
DUOS 36 D – Cu	Solid brass copper-plated, lacquered
DUOS 36 D – Cm	Solid brass copper-plated, matt brushed, lacquered
DUOS 36 D – Br	Solid brass bronzed, lacquered
DUOS 36 D – Bd	Solid brass dark-bronzed, lacquered



Designed by: Florian Schulz + Jens Schump

Textile cable black. On request: brown, gold, silver.






POSA 36 P – Pendant

Pendant lamp

Canopy: Ø 12 cm (4.7")
 Shade: glass white-opal, Ø 36 cm (14.2")
 Lampholder: E27, max. 100 W

POSA 36 P – Ms Solid brass polished, lacquered
 POSA 36 P – Mt Solid brass matt brushed, lacquered
 POSA 36 P – Ni Solid brass, nickel-plated
 POSA 36 P – Nm Solid brass nickel-plated, matt brushed
 POSA 36 P – Cr Solid brass, chrome-plated
 POSA 36 P – Cu Solid brass copper-plated, lacquered
 POSA 36 P – Cm Solid brass copper-plated, matt brushed, lacquered
 POSA 36 P – Br Solid brass bronzed, lacquered
 POSA 36 P – Bd Solid brass dark-bronzed, lacquered




POSA 36 M – Center pull

Adjustable pendant lamp

Canopy: Ø 9 cm (3.5")
 Shade: glass white-opal, Ø 36 cm (14.2")
 Lampholder: E27, max. 100 W

POSA 36 M – Ms Solid brass polished, lacquered
 POSA 36 M – Mt Solid brass matt brushed, lacquered
 POSA 36 M – Ni Solid brass, nickel-plated
 POSA 36 M – Nm Solid brass nickel-plated, matt brushed
 POSA 36 M – Cr Solid brass, chrome-plated
 POSA 36 M – Cu Solid brass copper-plated, lacquered
 POSA 36 M – Cm Solid brass copper-plated, matt brushed, lacquered
 POSA 36 M – Br Solid brass bronzed, lacquered
 POSA 36 M – Bd Solid brass dark-bronzed, lacquered



POSA 36 S – Side pull

Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")
 Shade: glass white-opal, Ø 36 cm (14.2")
 Lampholder: E27, max. 100 W

POSA 36 S – Ms Solid brass polished, lacquered
 POSA 36 S – Mt Solid brass matt brushed, lacquered
 POSA 36 S – Ni Solid brass, nickel-plated
 POSA 36 S – Nm Solid brass nickel-plated, matt brushed
 POSA 36 S – Cr Solid brass, chrome-plated
 POSA 36 S – Cu Solid brass copper-plated, lacquered
 POSA 36 S – Cm Solid brass copper-plated, matt brushed, lacquered
 POSA 36 S – Br Solid brass bronzed, lacquered
 POSA 36 S – Bd Solid brass dark-bronzed, lacquered



POSA 36 R – Straight pull ceiling mounted

Adjustable pendant lamp

Shade: glass white-opal, Ø 36 cm (14.2")

Lampholder: E27, max. 100 W

- POSA 36 R – Ms Solid brass polished, lacquered
- POSA 36 R – Mt Solid brass matt brushed, lacquered
- POSA 36 R – N Solid brass, nickel-plated
- POSA 36 R – Nm Solid brass nickel-plated, matt brushed
- POSA 36 R – Cr Solid brass, chrome-plated
- POSA 36 R – Cu Solid brass copper-plated, lacquered
- POSA 36 R – Cm Solid brass copper-plated, matt brushed, lacquered
- POSA 36 R – Br Solid brass bronzed, lacquered
- POSA 36 R – Bd Solid brass dark-bronzed, lacquered



POSA 36 D – Double pull

Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")

Shade: glass white-opal, Ø 36 cm (14.2")

Lampholder: 2 x E27, max. 2 x 100 W

- POSA 36 D – Ms Solid brass polished, lacquered
- POSA 36 D – Mt Solid brass matt brushed, lacquered
- POSA 36 D – Ni Solid brass, nickel-plated
- POSA 36 D – Nm Solid brass nickel-plated, matt brushed
- POSA 36 D – Cr Solid brass, chrome-plated
- POSA 36 D – Cu Solid brass copper-plated, lacquered
- POSA 36 D – Cm Solid brass copper-plated, matt brushed, lacquered
- POSA 36 D – Br Solid brass bronzed, lacquered
- POSA 36 D – Bd Solid brass dark-bronzed, lacquered



Designed by: Florian Schulz

Textile cable black. On request: brown, gold, silver.






ONOS 55 P – Pendant

Pendant lamp

Canopy: Ø 12 cm (4.7")
 Shade: metal Ø 55 cm (21.7"), metal light diffuser
 Lampholder: E27, max. 100 W

ONOS 55 P – Ms Solid brass polished, lacquered
 ONOS 55 P – Mt Solid brass matt brushed, lacquered
 ONOS 55 P – Ni Solid brass, nickel-plated
 ONOS 55 P – Nm Solid brass nickel-plated, matt brushed
 ONOS 55 P – Cr Solid brass, chrome-plated
 ONOS 55 P – Cu Solid brass copper-plated, lacquered
 ONOS 55 P – Cm Solid brass copper-plated, matt brushed, lacquered
 ONOS 55 P – Br Solid brass bronzed, lacquered
 ONOS 55 P – Bd Solid brass dark-bronzed, lacquered




ONOS 55 M – Center pull

Adjustable pendant lamp

Canopy: Ø 9 cm (3.5")
 Shade: metal Ø 55 cm (21.7"), metal light diffuser
 Lampholder: E27, max. 100 W

ONOS 55 M – Ms Solid brass polished, lacquered
 ONOS 55 M – Mt Solid brass matt brushed, lacquered
 ONOS 55 M – Ni Solid brass, nickel-plated
 ONOS 55 M – Nm Solid brass nickel-plated, matt brushed
 ONOS 55 M – Cr Solid brass, chrome-plated
 ONOS 55 M – Cu Solid brass copper-plated, lacquered
 ONOS 55 M – Cm Solid brass copper-plated, matt brushed, lacquered
 ONOS 55 M – Br Solid brass bronzed, lacquered
 ONOS 55 M – Bd Solid brass dark-bronzed, lacquered



ONOS 55 S – Side pull

Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")
 Shade: metal Ø 55 cm (21.7"), metal light diffuser
 Lampholder: E27, max. 100 W

ONOS 55 S – Ms Solid brass polished, lacquered
 ONOS 55 S – Mt Solid brass matt brushed, lacquered
 ONOS 55 S – Ni Solid brass, nickel-plated
 ONOS 55 S – Nm Solid brass nickel-plated, matt brushed
 ONOS 55 S – Cr Solid brass, chrome-plated
 ONOS 55 S – Cu Solid brass copper-plated, lacquered
 ONOS 55 S – Cm Solid brass copper-plated, matt brushed, lacquered
 ONOS 55 S – Br Solid brass bronzed, lacquered
 ONOS 55 S – Bd Solid brass dark-bronzed, lacquered



ONOS 55 R – Straight pull ceiling mounted

Adjustable pendant lamp

Shade: metal Ø 55 cm (21.7"), metal light diffuser
Lampholder: E27, max. 100 W

ONOS 55 R – Ms Solid brass polished, lacquered
ONOS 55 R – Mt Solid brass matt brushed, lacquered
ONOS 55 R – Ni Solid brass, nickel-plated
ONOS 55 R – Nm Solid brass nickel-plated, matt brushed
ONOS 55 R – Cr Solid brass, chrome-plated
ONOS 55 R – Cu Solid brass copper-plated, lacquered
ONOS 55 R – Cm Solid brass copper-plated, matt brushed, lacquered
ONOS 55 R – Br Solid brass bronzed, lacquered
ONOS 55 R – Bd Solid brass dark-bronzed, lacquered



ONOS 55 D – Double pull

Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")
Shade: metal Ø 55 cm (21.7"), metal light diffuser
Lampholder: 2 x E27, max. 2 x 100 W

ONOS 55 D – Ms Solid brass polished, lacquered
ONOS 55 D – Mt Solid brass matt brushed, lacquered
ONOS 55 D – Ni Solid brass, nickel-plated
ONOS 55 D – Nm Solid brass nickel-plated, matt brushed
ONOS 55 D – Cr Solid brass, chrome-plated
ONOS 55 D – Cu Solid brass copper-plated, lacquered
ONOS 55 D – Cm Solid brass copper-plated, matt brushed, lacquered
ONOS 55 D – Br Solid brass bronzed, lacquered
ONOS 55 D – Bd Solid brass dark-bronzed, lacquered



Designed by: Florian Schulz

Textile cable black. On request: brown, gold, silver.





ONOS 40 P – Pendant

Pendant lamp

Canopy: Ø 12 cm (4.7")
 Shade: metal Ø 40 cm (15.7"), metal light diffuser
 Lampholder: E27, max. 100 W

ONOS 40 P – Ms Solid brass polished, lacquered
 ONOS 40 P – Mt Solid brass matt brushed, lacquered
 ONOS 40 P – Ni Solid brass, nickel-plated
 ONOS 40 P – Nm Solid brass nickel-plated, matt brushed
 ONOS 40 P – Cr Solid brass, chrome-plated
 ONOS 40 P – Cu Solid brass copper-plated, lacquered
 ONOS 40 P – Cm Solid brass copper-plated, matt brushed, lacquered
 ONOS 40 P – Br Solid brass bronzed, lacquered
 ONOS 40 P – Bd Solid brass dark-bronzed, lacquered



ONOS 40 M – Center pull

Adjustable pendant lamp

Canopy: Ø 9 cm (3.5")
 Shade: metal Ø 40 cm (15.7"), metal light diffuser
 Lampholder: E27, max. 100 W

ONOS 40 M – Ms Solid brass polished, lacquered
 ONOS 40 M – Mt Solid brass matt brushed, lacquered
 ONOS 40 M – Ni Solid brass, nickel-plated
 ONOS 40 M – Nm Solid brass nickel-plated, matt brushed
 ONOS 40 M – Cr Solid brass, chrome-plated
 ONOS 40 M – Cu Solid brass copper-plated, lacquered
 ONOS 40 M – Cm Solid brass copper-plated, matt brushed, lacquered
 ONOS 40 M – Br Solid brass bronzed, lacquered
 ONOS 40 M – Bd Solid brass dark-bronzed, lacquered



ONOS 40 S – Side pull

Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")
 Shade: metal Ø 40 cm (15.7"), metal light diffuser
 Lampholder: E27, max. 100 W

ONOS 40 S – Ms Solid brass polished, lacquered
 ONOS 40 S – Mt Solid brass matt brushed, lacquered
 ONOS 40 S – Ni Solid brass, nickel-plated
 ONOS 40 S – Nm Solid brass nickel-plated, matt brushed
 ONOS 40 S – Cr Solid brass, chrome-plated
 ONOS 40 S – Cu Solid brass copper-plated, lacquered
 ONOS 40 S – Cm Solid brass copper-plated, matt brushed, lacquered
 ONOS 40 S – Br Solid brass bronzed, lacquered
 ONOS 40 S – Bd Solid brass dark-bronzed, lacquered



ONOS 40 R – Straight pull ceiling mounted

Adjustable pendant lamp

Shade: metal Ø 40 cm (15.7"), metal light diffuser
Lampholder: E27, max. 100 W

ONOS 40 R – Ms Solid brass polished, lacquered
ONOS 40 R – Mt Solid brass matt brushed, lacquered
ONOS 40 R – Ni Solid brass, nickel-plated
ONOS 40 R – Nm Solid brass nickel-plated, matt brushed
ONOS 40 R – Cr Solid brass, chrome-plated
ONOS 40 R – Cu Solid brass copper-plated, lacquered
ONOS 40 R – Cm Solid brass copper-plated, matt brushed, lacquered
ONOS 40 R – Br Solid brass bronzed, lacquered
ONOS 40 R – Bd Solid brass dark-bronzed, lacquered




ONOS 40 D – Double pull

Adjustable pendant lamp

Canopy: Ø 7 cm (2.8")
Shade: metal Ø 40 cm (15.7"), metal light diffuser
Lampholder: 2 x E27, max. 2 x 100 W

ONOS 40 D – Ms Solid brass polished, lacquered
ONOS 40 D – Mt Solid brass matt brushed, lacquered
ONOS 40 D – Ni Solid brass, nickel-plated
ONOS 40 D – Nm Solid brass nickel-plated, matt brushed
ONOS 40 D – Cr Solid brass, chrome-plated
ONOS 40 D – Cu Solid brass copper-plated, lacquered
ONOS 40 D – Cm Solid brass copper-plated, matt brushed, lacquered
ONOS 40 D – Br Solid brass bronzed, lacquered
ONOS 40 D – Bd Solid brass dark-bronzed, lacquered



Designed by: Florian Schulz

Textile cable black. On request: brown, gold, silver.





P80-1

Pendant lamp, height adjustable

Designed by: Jens Schump

Height: from 65 cm (25.6") – 135 cm (53.15") (standard)*
 Canopy: Ø 6 cm (2.36")
 Shade: Ø 8 cm (3.15"), 16,5 cm (6.5") high
 Bulb: 1 x LED (20 Watt) incl., 2000 Lumen
 Color temperature: Dim-to-Warm from 3100° – 1850 °K
 Color rendering: > 90 Ra
 Dimmer: possible via house installation (standard)**

P80-1 – Ms Solid brass polished, lacquered
 P80-1 – Mt Solid brass matt brushed, lacquered
 P80-1 – Ni Solid brass, nickel-plated
 P80-1 – Nm Solid brass nickel-plated, matt brushed
 P80-1 – Cr Solid brass, chrome-plated
 P80-1 – Cu Solid brass copper-plated, lacquered
 P80-1 – Cm Solid brass copper-plated, matt brushed, lacquered
 P80-1 – Br Solid brass bronzed, lacquered
 P80-1 – Bd Solid brass dark-bronzed, lacquered


P80-3

Triple pendant lamp, individually height-adjustable

Designed by: Jens Schump

Height: 3 x from 65 cm (25.6") – 135 cm (53.15") (standard)*
 Canopy: 132 cm (51.97") long, 8 cm (3.15") wide, 4 cm (1.57") high
 Shade: 3 x Ø 8 cm (3.15"), 16,5 cm (6.5") high
 Bulb: 3 x LED (3 x 20 Watt) incl., 6000 Lumen
 Color temperature: Dim-to-Warm from 3100° – 1850 °K
 Color rendering: > 90 Ra
 Dimmer: possible via house installation (standard)**

P80-3 – Ms Solid brass polished, lacquered
 P80-3 – Mt Solid brass matt brushed, lacquered
 P80-3 – Ni Solid brass, nickel-plated
 P80-3 – Nm Solid brass nickel-plated, matt brushed
 P80-3 – Cr Solid brass, chrome-plated
 P80-3 – Cu Solid brass copper-plated, lacquered
 P80-3 – Cm Solid brass copper-plated, matt brushed, lacquered
 P80-3 – Br Solid brass bronzed, lacquered
 P80-3 – Bd Solid brass dark-bronzed, lacquered



* Other suspension heights on request.

** DALI-Modul with Casambi Dimmer
 Alternatively, we recommend (*non-binding*)
 the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditì 027505
- Kopp 8033





PEN 100

**Pendant lamp, adjustable height
both light elements can be rotated (360°)**

Designed by: Florian Schulz

Length: 100 cm (39.4")

Canopy: 15 x 15 x 5 cm (5.9" x 5.9" x 2.0")

Height: 80 to 140 cm (31.5" to 55.1") adjustable (standard)*

Bulb: 2 x LED 150 (approx. 12 watts in total) incl.
exchangeable
approx. 1200 Lumen

Color temperature: warmwhite 2700 K

Color rendering: > 90 Ra

Dimmer: possible via house installation (standard)**

PEN 100 – Ms	Solid brass polished, lacquered
PEN 100 – Mt	Solid brass matt brushed, lacquered
PEN 100 – Ni	Solid brass, nickel-plated
PEN 100 – Nm	Solid brass nickel-plated, matt brushed
PEN 100 – Cr	Solid brass, chrome-plated
PEN 100 – Cu	Solid brass copper-plated, lacquered
PEN 100 – Cm	Solid brass copper-plated, matt brushed, lacquered
PEN 100 – Br	Solid brass bronzed, lacquered
PEN 100 – Bd	Solid brass dark-bronzed, lacquered

* The following suspensions on request (without surcharge):

Overall height 105 – 200 cm (41.3" – 78.7")

Overall height 130 – 250 cm (51.2" – 98.4")


Other pendulum lengths possible on request (with additional charge)

** DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditì 027505
- Kopp 8033



PEN 121

Pendant lamp, adjustable height
outer light elements can be rotated (360°)

Designed by: Florian Schulz

Length: 121 cm (47.6")
Canopy: 46,5 x 5 x 5 cm (18.3" x 2.0" x 2.0")
Height: 80 to 140 cm (31.5" to 55.1") adjustable (standard)*
Bulb: 3 x LED 150 (approx. 24 watts in total) incl.
exchangeable
approx. 2200 Lumen

Color temperature: warmwhite 2700 K
Color rendering: > 90 Ra
Dimmer: possible via house installation (standard)**

PEN 121 – Ms Solid brass polished, lacquered
PEN 121 – Mt Solid brass matt brushed, lacquered
PEN 121 – Ni Solid brass, nickel-plated
PEN 121 – Nm Solid brass nickel-plated, matt brushed
PEN 121 – Cr Solid brass, chrome-plated
PEN 121 – Cu Solid brass copper-plated, lacquered
PEN 121 – Cm Solid brass copper-plated, matt brushed, lacquered
PEN 121 – Br Solid brass bronzed, lacquered
PEN 121 – Bd Solid brass dark-bronzed, lacquered

* The following suspensions on request (without surcharge):

Overall height 105 – 200 cm (41.3" – 78.7")

Overall height 130 – 250 cm (51.2" – 98.4")



Other pendulum lengths possible on request (with additional charge)

** DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.RC
- Arditì 027505
- Kopp 8033





PEN 142

Pendant lamp, adjustable height
all light elements can be rotated (360°)

Designed by: Florian Schulz

Length: 142 cm (55.9")
 Canopy: 53 x 5 x 5 cm (20.9" x 2.0" x 2.0")
 Height: 80 to 140 cm (31.5" to 55.1") adjustable (standard)*
 Bulb: 3 x LED 150 (approx. 24 watts in total) incl. exchangeable approx. 2200 Lumen

Color temperature: warmwhite 2700 K
 Color rendering: > 90 Ra
 Dimmer: possible via house installation (standard)**

PEN 142 – Ms Solid brass polished, lacquered
 PEN 142 – Mt Solid brass matt brushed, lacquered
 PEN 142 – Ni Solid brass, nickel-plated
 PEN 142 – Nm Solid brass nickel-plated, matt brushed
 PEN 142 – Cr Solid brass, chrome-plated
 PEN 142 – Cu Solid brass copper-plated, lacquered
 PEN 142 – Cm Solid brass copper-plated, matt brushed, lacquered
 PEN 142 – Br Solid brass bronzed, lacquered
 PEN 142 – Bd Solid brass dark-bronzed, lacquered

* The following suspensions on request (without surcharge):

Overall height 105 – 200 cm (41.3" – 78.7")

Overall height 130 – 250 cm (51.2" – 98.4")


Other pendulum lengths possible on request (with additional charge)

** DALI-Modul with Casambi Dimmer

Alternatively, we recommend (*non-binding*)

the following dimmer brands:

- Jung 1731DD
- Feller 40300.FC
- Arditi 027505
- Kopp 8033







OY
Spot
rotatable 360°

Discontinued Model

Designed by: Florian Schulz

Height of Shade: 8,4 cm (3.3")

Ø Shade: 5,5 cm (2.2")

Ø Wall installation: 9 cm (3.5")


Lampholder: GU10 (high-voltage)

Bulb: 1 x GU10, 575 Lumen incl.
dimmable
exchangeable

Color temperature: warmwhite 2700 K

Color rendering: > 90 Ra

- OY – Ms Solid brass polished, lacquered
- OY – Mt Solid brass matt brushed, lacquered
- OY – Ni Solid brass, nickel-plated
- OY – Nm Solid brass nickel-plated, matt brushed
- OY – Cr Solid brass, chrome-plated
- OY – Cu Solid brass copper-plated, lacquered
- OY – Cm Solid brass copper-plated, matt brushed, lacquered
- OY – Br Solid brass bronzed, lacquered
- OY – Bd Solid brass dark-bronzed, lacquered



OYO Discontinued Model

Spotlight
swivelling to all sides
for reflector lights

Designed by: Florian Schulz

Ø Wall installation: approx. 12 cm (4.7")

Ø Shade: approx. 13 cm (5.1")

Lampholder: G53


Bulb: 1 x GU53 LED Spot (8,5 W $\hat{=}$ 50 W), 24 ° incl.*
 dimmable
 exchangeable
 approx. 450 Lumen

Color temperature: warmwhite 2700 K

Color rendering: > 90 Ra

- OYO – Ms Solid brass polished, lacquered
- OYO – Mt Solid brass matt brushed, lacquered
- OYO – Ni Solid brass, nickel-plated
- OYO – Nm Solid brass nickel-plated, matt brushed
- OYO – Cr Solid brass, chrome-plated
- OYO – Cu Solid brass copper-plated, lacquered
- OYO – Cm Solid brass copper-plated, matt brushed, lacquered
- OYO – Br Solid brass bronzed, lacquered
- OYO – Bd Solid brass dark-bronzed, lacquered

* Other bulbs available on request.





VS Manufaktur
Wahlwiesenstr. 1
71711 Steinheim an der Murr
Germany

Tel. +49 (0)7144 889 110 5

Fax +49 (0)7144 889 110 7

www.vs-manufaktur.de

info@vs-manufaktur.de

All rights reserved.
Specifications and design subject to change without notice.